

IRONskin®

LATEX SURGICAL GLOVES



QUALITY STANDARDS

- Conforms to ASTM D3577 (01) and EN 455 Part 1& Part 2 (00)
- Manufactured in accordance with ISO 9001, ISO 13485
- Good Manufacturing Practices (GMP)

FUNCTIONAL BENEFITS

- Extra length provides additional protection from surgical debris
- Fully anatomical design to reduce hand fatigue during prolonged surgical procedures
- Custom moulded in various sizes to fit end users hands with added comfort and improved fit
- Micro-roughened surface provides excellent wet and dry grip

PHYSICAL DIMENSIONS

DIMENSION	SIZE	STANDARD	
		MANUFACTURER STANDARD	ASTM D3577(01)
WIDTH (MM)	5.5	71 ± 5	70 ± 6
	6.0	77 ± 5	76 ± 6
	6.5	83 ± 5	83 ± 6
	7.0	89 ± 5	89 ± 6
	7.5	95 ± 5	95 ± 6
	8.0	102 ± 5	102 ± 6
	8.5	108 ± 5	108 ± 6
	9.0	115 ± 5	114 ± 6
		ALL SIZES	280
THICKNESS (MM) SINGLE WALL			
FINGER	ALL SIZES	0.17	0.10
PALM	ALL SIZES	0.12	0.10

PHYSICAL PROPERTIES

PROPERTY	STANDARD		
	MANUFACTURER STANDARD	ASTM 3577 (01)	
ELONGATION AT BREAK (%)			
BEFORE AGING	750	750	750
AFTER AGING	560	560	560
TENSILE STRENGTH (MPA)			
BEFORE AGING	min 24.0	min24.0	min 24.0
AFTER AGING	min18.0	min18.0	min 18.0

CLINICAL SPECIFICATIONS

- Sterilized by gamma radiation process
- Bio burden and sterility tested
- Reducing Potential Allergic Reactions Colour, Natural to White and uniform allowing for gradual shift due to thickness variation

No 29 & 31, Jalan Indah 2/16, Taman Universiti Indah,
43300 Seri Kembangan, Selangor, Malaysia.

Tel : 603-8942 8007

Fax : 603-8942 3007

www.gloveresources.com



Glove Resources Sdn Bhd

(769201 - X)